INDEX OF AUTHORS AND SUBJECTS

VOL. 81
Compiled by A. R. McGill

ABBOTT, I., The avifauna of the Porongurup range, an isolated habitat in south-western Australia, 91-96
Anting by Golden Bowerbird, 112-113
Area lists: Porongurup range, south-western Australia, 91-96 Woodland affected to varying degrees by dieback, 202-208
ATTIWILL, A.R. J.M. BOURNE and S.A. PARKER, Possible nest parasitism in the Australian stiff-tailed ducks (Anatidae: Oxyurini), 41-42
BARKER, R.J., and R.M. HAND, Mobbing response in Adelie Penguins, 169
BELL, H., see H.A. FORD
Bird-of-Paradise, Count Raggi's and congeneric species, 193-201 Lowland Sickle-billed, 82-86
BOSWALL, J., Second supplement to a catalogue of Australasian bird sound, 223-226
BODE, K.G., see M.P. HARRIS
BOLES, W.E., The subfamily name of the monarch flycatchers, 50
BOURNE, J.M., see A.R. ATTIWILL
Bowerbird, Golden, Anting, 112-113
BRADLEY, J.S., see R.D. WOOLER
Breeding, Budgerigars, 240-243
Lapwings, 121-127
Little Penguin, 1-19
Bronze-Cuckoos, Little and Rufous-breasted, hybridization and migration, 209-222
Budgerigar, Breeding and mortality, 240-243
Calls of the Galah and some comparisons with four other species of Australian parrot, 158-168
CALVER, M.C., see R.D. WOOLLER
CANNON, C.E. The diet of Eastern and Pale-headed Rosellas, 101-110
Catalogue of Australasian bird sound, second supplement, 223-226
CHAMBERS, A.P. and G.K., Anting by Golden Bowerbird, *Prionodura newtoniana*, 112-113
Chenorhamphus grayi, Distribution, habits and nest, 97-100
Cinclosoma castanotum, Geographical variation and its historical significance, 185-192 Clutch size of Macaroni and Rockhopper Penguins, 87-90
Consistent individuality in the calls of Spinifex birds, 40
COWLING, S.J., and K.W. LOWE, Studies of ibises in Victoria, I: records of breeding since 1955, 33-39
CULLEN, J.M., see P.N. REILLY
DANN, P., Breeding of the Banded and Masked Lapwings in southern Victoria, 121-127; Fifteenth Annual Report of the RAOU Nest Record Scheme, 175-177
Density of birds in eucalypt woodland affected to varying degrees by dieback, 202-208
DIAMOND, J.M., *Epimachus bruijnii*, the Lowland Sickle-billed Bird-of-paradise, 82-86; Distribution, habits and nest of *Chenorhamphus grayi*, a malurid endemic to New Guinea, 97-100; *Muscicapa griseisticta* wintering in New Guinea, 170
Diet of three insectivorous birds on Barrow island, W.A., 48-50; of Eastern and Pale-headed Rosellas, 101-110
Displays of Count Raggi's Bird-of-Paradise and congeneric species, 193-201; Lawes's Parotia, with reference to those of congeneric species, 227-238
Distribution, habits and nest of *Chenorhamphus grayi*, 97-100
Ducks Australian stiff-tailed, possible nest parasitism, 41-42
DWYER, P.D., Two species of megapode laying in the same mound, 173-174
Egg predation and possible usurpation of an Australian Magpie-lark's nest by Apostlebirds, 111-112
Evolution, distribution and stage of speciation in the *Rhipidura fuliginosa* complex in Australia, 128-144
Flycatchers, monarch, subfamily name, 50
FORD, H.A., A comment on the relationships between miners, *Manorina* spp in South Australia, 247-250
FORD, H.A., and H. BELL, Density of birds in eucalypt woodland affected to varying degrees by dieback, 202-208
FORD, J. Morphological and behavioural evolution in populations of the *Gerygone fusca* complex, 57-81; Evolution, distribution and stage of speciation in the *Rhipidura fuliginosa* complex in Australia, 128-144; Geographical variation in *Cinclosoma castanotum* and its historical significance, 185-192; Hybridization and migration in Australian populations of the Little and Rufous-breasted Bronze-Cuckoos, 209-222.
FRITH, C.B., Displays of Count Raggi's Bird-of-Paradise *Paradisaea raggiana* and congeneric species, 193-201
FRITH, C.B. and D.W. FRITH, Displays of Lawes's Parotia *Parotia lawesii* (Paradisaeidae) with reference to those of congeneric species and their evolution, 227-238
FRITH, H.J., see F.N. ROBINSON
Galah, calls and some comparisons with four other species of Australian parrot. 158-168
Geographical variation in *Cinclosoma castanotum* and its historical significance, 185-192
Gerygone fusca complex, morphological and behavioural evolution, 57-81
HALSE, S.A., Migration of Hutton's Shearwater, 42-44
HAND, R.M., see R.J. BARKER
HARRIS, M.P. and K.G. BODE, Populations of Little Penguins, Short-tailed Shearwaters and other seabirds on Phillip Island, Victoria, 1978, 20-28
HOLMES, G., Unequal sex ratios among seabirds found beach-washed, 44-47
Honeyeaters, Seasonal changes in a community in south-western Australia, 50-51
HULSMAN, K., Width of gape as a determinant of size of prey eaten by terns, 29-32
Hybridization and migration in Australian populations of the Little and Rufous-breasted Bronze-Cuckoos, 209-222
Ibises, Studies in Victoria, I: records of breeding since 1955, 33-39
International Commission of Zoological Nomenclature: opinion, 184
ISLES, A.C., see P.W. MENKHORST
Lapwing, Banded, and Masked, Breeding in southern Victoria, 121-127
LOWE, K.W., Sixteenth Annual Report of the RAOU Nest Record Scheme, 251-252
LOWE, K.W., see S.J. COWLING
Lyrebird, Superb, at Tidbindilla, A.C.T., 145-157
Magpie-lark, Australian, egg predation and possible usurpation by Apostlebirds, 111-112
Megapode, two species laying in the same mound, 173-174
MENKHORST, P.W., and A.C. ISLES, The Night Parrot: evidence of its occurrence in north-west Victoria during the 1950s, 239-240
Migration by Hutton's Shearwater 42-44
MILEWSKI, A.V., see R.D. WOOLLER
Miners, a comment on the relationships in South Australia, 247-250
MOFFAT, J.D., Yellow Wagtail *Motacilla flava* on Heron Island, Qld., with notes on the status of southern individuals, 47-48
Morphological and behavioural evolution in populations of the *Gerygone fusca* complex, 57-81
Muscicapa griseisticta wintering in New Guinea, 170

Owl, Brown Hawk–, First record from Australasia, 171
PARKER, S.A., see A.R.ATTIWILL
Parotia, Lawes's, displays, with reference to those of congeneric species, 227-238
Parrot, Night, evidence of its occurrence in north-west Victoria during the 1950s, 239-240
Penguin, Adelie, mobbing response, 169
Little, breeding in Victoria, 1-19 populations on Phillip Island, Victoria, 1978, 20-28
Macaroni and Rockhopper, clutch size, 87-90
PIDGEON, R., Calls of the Galah *Cacatua roseicapilla* and some comparisons with four other species of Australian parrot, 158-168
Possible nest parasitism in the Australian stiff-tailed ducks, 41-42
RAOU Nest Record Scheme, Fifteenth Annual Report, 175-177; Sixteenth Annual Report, 251-252
REILLY, P.N., RAOU Fellow: Citation, 253-254
REILLY, P.N., and J.M. CULLEN, The Little Penguin *Eudyptula* in Victoria: Breeding, 1-19
REVIEWS, 52-56, 116-120, 178-184, 255-161
Rhipidura fuliginosa complex, evolution, distribution and stage of speciation in Australia, 128-144
ROBINSON, F.N., and H.J. FRITH, The Superb Lyrebird *Menura novaehollandiae* at Tidbinbilla, ACT, 145-157
Rosella, Eastern and Pale-headed, diet, 101-110
SCHODDE, R., and G.F. van TETS, First record of the Brown Hawk-Owl *Ninox scutulata* from Australasia, 171
Seabirds, on Phillip Island, Victoria, 20-28 unequal sex ratios, found beach-washed, 44-47
Seasonal changes in a community of honeyeaters in south-western Australia, 50-51
SENGUPTA, S., Adaptive significance of the use of margosa leaves in nests of House Sparrows *Passer domesticus*, 114-115
Shearwater, Hutton's, Migration, 42-44; Does it circumnavigate Australia?, 44
Short-tailed, populations on Phillip Island, Victoria, 20-28
Site-fidelity in some birds of the understory in Karri forest, 171-173
Sparrow, House, adaptive significance of the use of margosa leaves in nests, 114-115
Spinifexbird, consistent individuality in the calls, 40
Subfamily name of the monarch flycatchers, 50
Terns, width of gape as a determinant of size of prey eaten, 29-32
Unequal sex ratios among seabirds found beach-washed, 44-47
van TETS, G.F., see R. SCHODDE
Wagtail, Yellow, on Heron Island, Qld., with notes on the status of southern individuals, 47-48
WARHAM, J. Does Hutton's Shearwater circumnavigate Australia?, 44
WHITMORE, M.J., Egg predation and possible usurpation on an Australian Magpie-lark's nest by Apostlebirds, 111-112
WHYTE, R.J., Winter fluctuations in waterbird numbers on a northern tablelands' lagoon of New South Wales, 243-246
Width of gape as a determinant of size of prey eaten by terns, 29-32
WILLIAMS, A.J., The clutch size of Macaroni and Rockhopper Penguins, 87-90
Winter fluctuations in waterbird numbers on a northern tablelands' lagoon of NSW, 243-246
WOOLLER, R.D., Seasonal changes in a community of honeyeaters in south-western Australia, 50-51
WOOLLER, R.D., and J.S. BRADLEY, Consistent individuality in the calls of Spinifexbirds *Eremiornis carteri* on Barrow Island, W.A., 40
WOOLLER, R.D., and M.C. CALVER, Diet of three insectivorous birds on Barrow Island, W.A., 48-50
WOOLLER, R.D., and A.V. MILEWSKI, Site-fidelity in some birds of the understory in Karri forest, 171-173
WYNDHAM, E., Breeding and mortality in Budgerigars *Melopsittacus undulatus*, 240-243



Owl, Brown Hawk–, First record from Australasia, 171
PARKER, S.A., see A.R.ATTIWILL
Parotia, Lawes's, displays, with reference to those of congeneric species, 227-238
Parrot, Night, evidence of its occurrence in north-west Victoria during the 1950s, 239-240
Penguin, Adelie, mobbing response, 169
Little, breeding in Victoria, 1-19 populations on Phillip Island, Victoria, 1978, 20-28
Macaroni and Rockhopper, clutch size, 87-90
PIDGEON, R., Calls of the Galah *Cacatua roseicapilla* and some comparisons with four other species of Australian parrot, 158-168
Possible nest parasitism in the Australian stiff-tailed ducks, 41-42
RAOU Nest Record Scheme, Fifteenth Annual Report, 175-177; Sixteenth Annual Report, 251-252
REILLY, P.N., RAOU Fellow: Citation, 253-254
REILLY, P.N., and J.M. CULLEN, The Little Penguin *Eudyptula* in Victoria: Breeding, 1-19
REVIEWS, 52-56, 116-120, 178-184, 255-161
Rhipidura fuliginosa complex, evolution, distribution and stage of speciation in Australia, 128-144
ROBINSON, F.N., and H.J. FRITH, The Superb Lyrebird *Menura novaehollandiae* at Tidbinbilla, ACT, 145-157
Rosella, Eastern and Pale-headed, diet, 101-110
SCHODDE, R., and G.F. van TETS, First record of the Brown Hawk-Owl *Ninox scutulata* from Australasia, 171
Seabirds, on Phillip Island, Victoria, 20-28 unequal sex ratios, found beach-washed, 44-47
Seasonal changes in a community of honeyeaters in south-western Australia, 50-51
SENGUPTA, S., Adaptive significance of the use of margosa leaves in nests of House Sparrows *Passer domesticus*, 114-115
Shearwater, Hutton's, Migration, 42-44; Does it circumnavigate Australia?, 44
Short-tailed, populations on Phillip Island, Victoria, 20-28
Site-fidelity in some birds of the understory in Karri forest, 171-173
Sparrow, House, adaptive significance of the use of margosa leaves in nests, 114-115
Spinifexbird, consistent individuality in the calls, 40
Subfamily name of the monarch flycatchers, 50
Terns, width of gape as a determinant of size of prey eaten, 29-32
Unequal sex ratios among seabirds found beach-washed, 44-47
van TETS, G.F., see R. SCHODDE
Wagtail, Yellow, on Heron Island, Qld., with notes on the status of southern individuals, 47-48
WARHAM, J. Does Hutton's Shearwater circumnavigate Australia?, 44
WHITMORE, M.J., Egg predation and possible usurpation on an Australian Magpie-lark's nest by Apostlebirds, 111-112
WHYTE, R.J., Winter fluctuations in waterbird numbers on a northern tablelands' lagoon of New South Wales, 243-246
Width of gape as a determinant of size of prey eaten by terns, 29-32
WILLIAMS, A.J., The clutch size of Macaroni and Rockhopper Penguins, 87-90
Winter fluctuations in waterbird numbers on a northern tablelands' lagoon of NSW, 243-246
WOOLLER, R.D., Seasonal changes in a community of honeyeaters in south-western Australia, 50-51
WOOLLER, R.D., and J.S. BRADLEY, Consistent individuality in the calls of Spinifexbirds *Eremiornis carteri* on Barrow Island, W.A., 40
WOOLLER, R.D., and M.C. CALVER, Diet of three insectivorous birds on Barrow Island, W.A., 48-50
WOOLLER, R.D., and A.V. MILEWSKI, Site-fidelity in some birds of the understory in Karri forest, 171-173
WYNDHAM, E., Breeding and mortality in Budgerigars *Melopsittacus undulatus*, 240-243

C21